

PROBE STAND H-491269 Probe Stand Assembly

ETS-Lindgren's Model H-491269 Probe Stand is designed for accurate and repeatable probe positioning when performing field uniformity calibration in accordance with 61000-4-3 and 61000-4-21, among other EMC and military standards.



ETS-Lindgren's Model H-491269 Probe Stand is designed for accurate and repeatable probe positioning when performing field uniformity calibration in accordance with 61000-4-3 and 61000-4-21, among other EMC and military standards.

Key Features

- Adjustable Height From 25 cm to 240 cm
- Graduated Scale in 1 mm Increments
- Floor View Finder for Convenient Probe Location in Chamber
- Offsets Provided for ETS-Lindgren EMC Probes for Sensor Centers
- 1/4" x 20 UNC Probe Mount
- Stable, Sturdy Platform
- Low Dielectric Materials
- Ideal for Field Uniformity to EN61000-4-3
- Compatible with all ETS-Lindgren EMC Probes

Specifications

Physical Specifications

Base Plate: 40.6 cm (15.98 in)
Base and Tube Height: 243.8 cm (95.98 in)
Load Capacity Per Carrier: 600 g (21.16 oz)
Probe Mounting Height Maximum: 240.0 cm (94.49 in)
Probe Mounting Height Minimum: 25.0 cm (9.84 in)
Tube Width: 5.1 cm (2.0 in)